



MAKFOR Q

Version 2 / MAL
102000018213

1/10

Revision Date: 15.02.2022

Print Date: 18.02.2022

SECTION 1: IDENTIFICATION OF THE HAZARDOUS CHEMICAL AND OF THE SUPPLIER

1.1 Product identifier

Trade name MAKFOR Q
Product code (UVP) 79212690

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide, Ant killer

1.3 Details of the supplier of the safety data sheet

Supplier	Bayer AG Kaiser-Wilhelm-Allee 1 51373 Leverkusen Germany	Local distributor Bayer Co. (Malaysia) Sdn Bhd B-19-1 & B-19-2, The Ascent Paradigm, No. 1, Jalan SS 7/26A, Kelana Jaya, 47301 Petaling Jaya, Selangor. Malaysia
Telephone	03 7801 3088 (office hours)	
Telefax	03 7886 3338	

1.4 Emergency telephone no.

In case of POISONING,
please contact Malaysian Emergency Response Services (999)



Global Incident Response
Hotline (24h) +1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to the Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Chronic aquatic toxicity: Category 2
H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements



MAKFOR Q

Version 2 / MAL
102000018213

2/10

Revision Date: 15.02.2022

Print Date: 18.02.2022

Labelling according to the Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Imidacloprid



Hazard statements

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No additional hazards known beside those mentioned.

Imidacloprid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

SECTION 3: COMPOSITION AND INFORMATION OF THE INGREDIENTS OF THE HAZARDOUS CHEMICAL

3.2 Mixtures

Chemical nature

Bait (ready for use) (RB)
Imidacloprid 0,03 % w/w

Hazardous components

Name	CAS-No.	Conc. [%]
Imidacloprid	138261-41-3	0.03

Further information

Imidacloprid	138261-41-3	M-Factor: 10 (acute), 1,000 (chronic)
--------------	-------------	---------------------------------------

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice

The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.



MAKFOR Q

Version 2 / MAL
102000018213

3/10

Revision Date: 15.02.2022

Print Date: 18.02.2022

Skin contact	Wash off immediately with soap and plenty of water.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	If large amounts are ingested, the following symptoms may occur: Dizziness, Abdominal pain, Nausea Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s). Due to its low concentration intake of a hazardous amount of active ingredient from this formulation is unlikely.
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Treat symptomatically. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.
------------------	--

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Water spray, Carbon dioxide (CO ₂), Foam, Sand
Unsuitable	None known.

5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released:., Carbon monoxide (CO)
--	--

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.
--------------------	---



MAKFOR Q

Version 2 / MAL
102000018213

4/10

Revision Date: 15.02.2022

Print Date: 18.02.2022

6.2 Environmental precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling

No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Avoid contact with skin, eyes and clothing.

Hygiene measures

Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Protect from frost. Keep away from direct sunlight.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Suitable materials

Polypropylene
Polyethylene film within an outer package
HDPE (high density polyethylene)

7.3 Specific end use(s)

Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m ³ (TWA)		OES BCS*
Sucrose	57-50-1	10 mg/m ³ (TWA)	03 2000	MY OEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"



MAKFOR Q

Version 2 / MAL
102000018213

5/10

Revision Date: 15.02.2022

Print Date: 18.02.2022

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	gel
Colour	colourless to light yellow
Odour	weak, characteristic
Odour Threshold	No data available
pH	4.0 - 6.0 (10 %) (23 °C) (deionized water)
Melting point/range	No data available
Boiling Point	No data available



MAKFOR Q

Version 2 / MAL
102000018213

6/10

Revision Date: 15.02.2022

Print Date: 18.02.2022

Flash point	> 100 °C
Flammability	No data available
Auto-ignition temperature	No data available
Thermal decomposition	175 °C, Heating rate:3 K/min, Exothermic decomposition., The value mentioned relates to the active ingredient. , Not applicable
Ignition temperature	380 °C
Minimum ignition energy	No data available
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 1.43 g/cm ³ (20 °C)
Water solubility	No data available
Partition coefficient: n-octanol/water	Imidacloprid: log Pow: 0.57
Viscosity, dynamic	>= 5,400 mPa.s (20 °C) Velocity gradient 80 /s
Viscosity, kinematic	No data available
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.



MAKFOR Q

Version 2 / MAL
102000018213

7/10

Revision Date: 15.02.2022

Print Date: 18.02.2022

10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) > 2,500 mg/kg Test conducted with a similar formulation.
Acute inhalation toxicity	During intended and foreseen applications, no respirable aerosol is formed.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation.
Skin corrosion/irritation	No skin irritation (Rabbit) Test conducted with a similar formulation.
Serious eye damage/eye irritation	No eye irritation (Rabbit) Test conducted with a similar formulation.
Respiratory or skin sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Aspiration hazard

Based on available data, the classification criteria are not met.



MAKFOR Q

Version 2 / MAL
102000018213

8/10

Revision Date: 15.02.2022

Print Date: 18.02.2022

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient imidacloprid.

EC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l
Exposure time: 24 h
The value mentioned relates to the active ingredient imidacloprid.

Chronic toxicity to aquatic invertebrates

EC10 (Chironomus riparius (non-biting midge)): 0.87 µg/l
Exposure time: 28 d
The value mentioned relates to the active ingredient imidacloprid.

EC10 (Caenis horaria (Mayfly)): 0.024 µg/l
Exposure time: 28 d
The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic plants

IC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient imidacloprid.

12.2 Persistence and degradability

Biodegradability

Imidacloprid:
Not rapidly biodegradable

Koc

Imidacloprid: Koc: 225

12.3 Bioaccumulative potential

Bioaccumulation

Imidacloprid:
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil

Imidacloprid: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment

Imidacloprid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information

No other effects to be mentioned.



MAKFOR Q

Version 2 / MAL
102000018213

9/10

Revision Date: 15.02.2022

Print Date: 18.02.2022

SECTION 13: DISPOSAL INFORMATION

13.1 Waste treatment methods

Product	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
Contaminated packaging	Not completely emptied packagings should be disposed of as hazardous waste.

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90
Tunnel Code	-

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.



MAKFOR Q

Version 2 / MAL
102000018213

10/10

Revision Date: 15.02.2022

Print Date: 18.02.2022

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Further information

WHO-classification: III (Slightly hazardous)

SECTION 16: OTHER INFORMATION

The information contained within this Safety Data Sheet is in accordance to The Industry Code of Practice on Chemical Classification and Hazard Communication 2013 (ICOP) which is promulgated under Section 37 of Occupational Safety and Health Act 1994 (OSHA 1994) and serves as a guidance to chemical suppliers to comply with the provisions of Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013 [P.U. (A) 310/2013] which have been gazetted on 11 October 2013, hereinafter is referred to as "the Regulations". This data sheet complements the user's instructions, but does not replace them. The information contained therein is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with the current Malaysia legislation, including the Pesticides Act 1974. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--