

# PREMISE 200 SC

Version 1/MY 102000007309

1/9 Revision Date: 25.10.2016 Print Date: 04.06.2019

### SECTION 1: IDENTIFICATION OF THE HAZARDOUS CHEMICAL AND OF THE SUPPLIER

1.1 Product identifier

Trade name

PREMISE 200 SC

Product code (UVP)

04869125

1.2 Relevant identified uses of the substance or mixture and uses advised against

Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier

Bayer AG

Local distributor

Kaiser-Wilhelm-Allee 1

Bayer Co. (Malaysia) Sdn Bhd

51373 Leverkusen

B-19-1 & B-19-2, The Ascent Paradigm,

Germany

No. 1, Jalan SS 7/26A, Kelana

Jaya,

47301 Petaling Jaya, Selangor.

Malaysia

Telephone

03 7801 3088 (office hours)

Telefax

03 7886 3338

1.4 Emergency telephone no.

In case of POISONING,

please contact

NATIONAL POISON CENTRE -1-800-88-8099 (office hours)

- 012-4309499 (after office hours)

Global Incident Response

Hotline (24h)

+1 (760) 476-3964 (Company 3E for Bayer AG, Crop Science Division)

# SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Classification according to the Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Acute toxicity: Category 4

H302

Harmful if swallowed.

Acute aquatic toxicity: Category 1

H400

Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410

Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling according to the Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Hazard label for supply/use required.

Hazardous components which must be listed on the label:



# PREMISE 200 SC

Version 1 / MY 102000007309 2/9 Revision Date: 25.10.2016

Print Date: 04.06.2019

#### Imidacloprid





# Signal word: Warning Hazard statements

H302

Harmful if swallowed.

H410

Very toxic to aquatic life with long lasting effects.

# Precautionary statements

P280

Wear protective gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.

P308 + P311 P501

Dispose of contents/container in accordance with local regulation.

#### 2.3 Other hazards

No other hazards known.

# SECTION 3: COMPOSITION AND INFORMATION OF THE INGREDIENTS OF THE HAZARDOUS CHEMICAL

#### 3.2 Mixtures

# Chemical nature

Suspension concentrate (=flowable concentrate)(SC) Imidacloprid 200 g/l

### Hazardous components

Name	CAS-No.	Conc. [%]	
Imidacloprid	138261-41-3	18.3	
Glycerine	56-81-5	> 1	

# **Further information**

Imidacloprid	138261-41-3	M-Factor: 10 (acute), 10 (chronic)

# **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

General advice

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Skin contact

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms

persist, call a physician.



# PREMISE 200 SC

Version 1/MY 102000007309

3/9 Revision Date: 25.10.2016

Print Date: 04.06.2019

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

If large amounts are ingested, the following symptoms may occur:

Dizziness, Nausea, Abdominal pain

Symptoms and hazards refer to effects observed after intake of

significant amounts of the active ingredient(s).

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** 

Treat symptomatically. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

#### SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable

Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable

High volume water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire the following may be released:, Hydrogen chloride (HCI), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information** 

Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions

Avoid contact with spilled product or contaminated surfaces. Use

personal protective equipment.

6.2 Environmental

Do not allow to get into surface water, drains and ground water.

precautions



# PREMISE 200 SC

Version 1/MY 102000007309

4/9 Revision Date: 25.10.2016 Print Date: 04.06.2019

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Advice on safe handling

Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion No special precautions required.

Hygiene measures

Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Store in original

container. Keep away from direct sunlight.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Suitable materials

HDPE (high density polyethylene)

7.3 Specific end use(s)

Refer to the label and/or leaflet.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3 (TWA)		OES BCS*
Glycerine (Mist.)	56-81-5	10 mg/m3 (TWA)	03 2000	MY OEL

<sup>\*</sup>OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

#### 8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Not required; except in case of aerosol formation.

Respiratory protection should only be used to control residual risk of



# PREMISE 200 SC

Version 1 / MY 102000007309

Hand protection

5/9 Revision Date: 25.10.2016 Print Date: 04.06.2019

short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination

on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on basic physical and chemical properties

Form suspension

Colour white to light beige

Odour weak, characteristic

pH 7.0 - 8.5 at 100 % (23 °C)

Flash point No flash point - Determination conducted up to the boiling point.

Auto-ignition temperature 405 °C

Density ca. 1.10 g/cm³ at 20 °C

Water solubility miscible

Partition coefficient: n-

Partition coefficient: n-

Imidacloprid: log Pow: 0.57

octanol/water

Viscosity, dynamic 400 - 800 mPa×s at 23 °C Velocity gradient 7.5 /s

Surface tension 48.9 mN/m
Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

9.2 Other information Further safety related physical-chemical data are not known.



# PREMISE 200 SC

Version 1 / MY 102000007309 6/9 Revision Date: 25.10.2016

Print Date: 04.06.2019

#### **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity

Thermal decomposition

210 °C

Exothermic decomposition.

The value mentioned relates to the active ingredient.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to

prescribed instructions.

10.4 Conditions to avoid

Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Store only in the original container.

10.6 Hazardous

decomposition products

No decomposition products expected under normal conditions of use.

#### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

Acute oral toxicity

LD50 (Rat) > 1,218 mg/kg

Acute inhalation toxicity

LC50 (Rat) > 2.238 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

Highest attainable concentration.

Acute dermal toxicity

LD50 (Rat) > 4,000 mg/kg

Skin irritation

No skin irritation (Rabbit)

Eye irritation

No eye irritation (Rabbit)

Sensitisation

Non-sensitizing. (Guinea pig)

OECD Test Guideline 406, Buehler test

# Assessment STOT Specific target organ toxicity - repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

#### Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

#### Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental



# PREMISE 200 SC

Version 1 / MY 102000007309 7/9 Revision Date: 25.10.2016 Print Date: 04.06.2019

effects seen with Imidacloprid are related to maternal toxicity.

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) > 535 mg/l

Exposure time: 96 h

Toxicity to aquatic

invertebrates

EC50 (Daphnia magna (Water flea)) > 535 mg/l

Exposure time: 24 h

EC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l

Exposure time: 24 h

The value mentioned relates to the active ingredient.

Toxicity to aquatic plants

IC50 (Desmodesmus subspicatus (green algae)) > 1,000 mg/l

Growth rate; Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability

Imidacloprid:

Not rapidly biodegradable

Koc

Imidacloprid: Koc: 225

12.3 Bioaccumulative potential

Bioaccumulation

Imidacloprid:

Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil

Imidacloprid: Moderately mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment

Imidacloprid: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

No other

No other effects to be mentioned.

information

#### **SECTION 13: DISPOSAL INFORMATION**

#### 13.1 Waste treatment methods

Product

In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging

Not completely emptied packagings should be disposed of as

hazardous waste.



# PREMISE 200 SC

Version 1/MY 102000007309

8/9 Revision Date: 25.10.2016

Print Date: 04.06.2019

# **SECTION 14: TRANSPORT INFORMATION**

ADR/RID/ADN

14.1 UN number 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, 14.2 Proper shipping name

N.O.S.

(IMIDACLOPRID SOLUTION)

14.3 Transport hazard class(es)

14.4 Packing group III

14.5 Environm. Hazardous Mark YES Hazard no. 90

**Tunnel Code** E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG** 

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

9

(IMIDACLOPRID SOLUTION)

14.3 Transport hazard class(es)

14.4 Packing group III YES

14.5 Marine pollutant

IATA

14.1 UN number 3082

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID SOLUTION)

14.3 Transport hazard class(es)

14.4 Packing group III

YES

14.5 Environm. Hazardous Mark

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

#### SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Further information** 

WHO-classification: II (Moderately hazardous)

SECTION 16: OTHER INFORMATION



PREMISE 200 SC

Version 1 / MY 102000007309 9/9 Revision Date: 25.10.2016 Print Date: 04.06.2019

The information contained within this Safety Data Sheet is in accordance to The Industry Code of Practice on Chemical Classification and Hazard Communication 2013 (ICOP) which is promulgated under Section 37 of Occupational Safety and Health Act 1994 (OSHA 1994) and serves as a guidance to chemical suppliers to comply with the provisions of Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013 [P.U. (A) 310/2013] which have been gazetted on 11 October 2013, hereinafter is referred to as "the Regulations". This data sheet complements the user's instructions, but does not replace them. The information contained therein is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with the current Malaysia legislation, including the Pesticides Act 1974. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.