

THIS IS A PESTICIDE ADVERTISEMENT

# TENOPA®

THE COMPLETE SPRAY TREATMENT WITH  
DUAL ACTION FORMULATION FOR CONTROL  
OVER SELECTED INSECT LIFE STAGES



• BASF  
We create chemistry

**TENOPA®**

Perawis Aktif : alpha-cypermethrin ..... 2.9% w/w  
Perawis Lengai : flufenoxuron ..... 2.9% w/w  
..... 94.2% w/w

RACUN SERANGGA PEKATAN AMPAIAN (SC)  
UNTUK DIKENDALIKAN OLEH ORANG YANG TERLATIH SAHAJA  
No. Pendaftaran : LRMP. R1/8407 Kandungan Bersih: 1 liter

Tarikh Mengilang:  
Tarikh Luput:  
No. Kelompok:



Pijat (x 5)  
(Cimex lectularius)



Lipas Amerika (x 1)  
(Periplaneta americana)



Lipas German (x 0.5)  
(Blattella germanica)

Didaftarkan oleh:  
**BASF (Malaysia) Sdn. Bhd.** (182671-M)  
No. 2, Jalan Astaka U8/67, Bukit Jelutong, Seksyen U8, 40150 Shah Alam,  
Selangor Darul Ehsan, Malaysia. Tel.: 03-5628 3888 Faks: 03-5628 3777

Jika berlaku KERACUNAN,  
sila hubungi TALIAN KECEMASAN: **999**  
**BACA LABEL SEBELUM GUNA**

BERBAHAYA  
JAUHKAN DARIPADA MAMPUAN  
DAN KANAK-KANAK

• **BASF**

We create chemistry



## Dual Active Ingredient Formulation Action

**TENOPA®** was developed to combine the rapid action and high levels of control of alpha-cypermethrin with the persistence of flufenoxuron, thus providing an effective and convenient product for hygiene pest control.

## The Insect Pest Solution

**TENOPA®** combines 30g/l of alpha-cypermethrin with 30g/l flufenoxuron for good and complete insect control.

As well as its immediate pyrethroid effect on the adult insect nervous system, the flufenoxuron renders a high proportion of eggs from any survivors non-viable and lethally interrupts larval development - working far more effectively than traditional growth regulators.

## Good Control of Cockroaches

Cockroaches are ubiquitous and live in close contact with humans. They are found everywhere – in homes, restaurants, hospitals and industrial sites – especially in the area concerned with food handling, preparation, and storage.

Cockroaches pose a threat to public health because they carry disease-causing microorganisms responsible for diarrhoea, food poisoning, and dysentery.

Cockroaches usually feed on decaying matter and waste where they pick up bacteria and fungi. Because they also feed on human food, therefore, they are capable of transmitting these bacteria and fungi to food supplies.

Extensive laboratory tests confirm that flufenoxuron is highly effective at all nymphal stages and causes a severe reduction in the viability of eggs produced by adult female cockroaches exposed to the treatment.



## Recommended Dosage Rates

PESTS	LOCATION	RATES	SPRAY VOLUME
		5 litre of water / 100m <sup>2</sup>	
German cockroach ( <i>Blattella germanica</i> ) American cockroach ( <i>Periplaneta americana</i> )	Homes, hospitals, hotels, restaurants, kitchens, industrial sites, and food processing plants	25 ml	50 ml / m <sup>2</sup>
Bedbug ( <i>Cimex lectularius</i> )	Carpet, mattress, wallpaper		

**TENOPA®** should be applied by a licensed pest controller only. This brochure is intended as advice.

### Registered by:

**BASF (MALAYSIA) Sdn. Bhd. (182671-M)**  
Lot 19.02, Level 19, 1 Powerhouse,  
No. 1 Persiaran Bandar Utama, Bandar Utama,  
47800 Petaling Jaya, Selangor Darul Ehsan, Malaysia  
Tel.: 03-7612 1888 Fax: 03-7612 1777

© Copyright BASF 2022 ® Registered trademark of BASF



**READ LABEL BEFORE USE**

JIRP.P/1022/656